

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

BONDTEC STP 70 Power

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Adhesive
Assembly material

Uses advised against:
No information available at present.

1.3 Details of the supplier of the safety data sheet

Fola Abfülltechnik GmbH
Industriestraße 55
D-40822 Mettmann
Tel.: +49 2104 28680-10
Fax: +49 2104 28680-20
www.fola-abfuelltechnik.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:
+49 (0) 700 / 24 112 112 (WIC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class | Hazard category | Hazard statement |
|--------------|-----------------|-------------------------------------|
| Eye Irrit. | 2 | H319-Causes serious eye irritation. |

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Warning

H319-Causes serious eye irritation.

P280-Wear eye protection.
P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get medical advice / attention.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).
The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a.

3.2 Mixture

| Trimethoxyvinylsilane | |
|---|--|
| Registration number (REACH) | 01-2119513215-52-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP | 220-449-8 |
| CAS | 2768-02-7 |
| content % | 1-5 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Flam. Liq. 3, H226 Acute Tox. 4, H332 |

| 3-(trimethoxysilyl)propylamine | |
|---|---|
| Registration number (REACH) | 01-2119510159-45-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP | 237-511-5 |
| CAS | 13822-56-5 |
| content % | 1-<3 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Skin Irrit. 2, H315 Eye Dam. 1, H318 |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.
For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.
The substances named in this section are given with their actual, appropriate classification!
For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!
Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.
Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.
Unsuitable cleaning product:

Solvent
Thinners

Eye contact

Remove contact lenses.
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.
Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO2
Extinction powder
Water jet spray
Large fire:

Water jet spray / alcohol resistant foam

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon
Oxides of sulphur
Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire
Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.
Avoid contact with eyes or skin.
If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.
Resolve leaks if this possible without risk.
Prevent surface and ground-water infiltration, as well as ground penetration.
Prevent from entering drainage system.
If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Or:

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.
Avoid contact with eyes.
Avoid long lasting or intensive contact with skin.
Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.
Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.
Store product closed and only in original packing.
Not to be stored in gangways or stair wells.
Store cool.
Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The methanol listed below can arise upon contact with water.

| Chemical Name | Calcium carbonate | Content %: |
|--|-------------------|------------------------|
| WEL-TWA: 4 mg/m3 (respirable dust), 10 mg/m3 (total inhalable dust) | WEL-STEL: --- | --- |
| Monitoring procedures: BMGV: --- | --- | Other information: --- |

| Chemical Name | Methanol | Content %: |
|---|---|------------|
| WEL-TWA: 200 ppm (266 mg/m3) (WEL), 200 ppm (260 mg/m3) (EU) | WEL-STEL: 250 ppm (333 mg/m3) (WEL) | --- |
| Monitoring procedures: | - Compur - KITA-119 SA (549 640) - Compur - KITA-119 U (549 657) - Draeger - Alcohol 25/a Methanol (81 01 631) - DFG (D) (Loesungsmittelgemische 6), DFG (E) (Solvent mixtures 6) - 1998, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 65-1 (2004) | |

- Draeger - Alcohol 100/a (CH 29 701)
 BMGV: --- Other information: Sk (WEL, EU)

| | | |
|--|------------------------|-------------------|
| Chemical Name | Silica, amorphous | Content %: |
| WEL-TWA: 6 mg/m3 (total inh. dust), 2,4 mg/m3 (resp. dust) | WEL-STEL: --- | --- |
| Monitoring procedures: --- | Other information: --- | |

Trimethoxyvinylsilane

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------------------|------------|-------|--------------|--|
| | Environment - freshwater | | PNEC | 0,4 | mg/l | Für entsprechen des Silantri ol (Hydro lyspro dukt) ermitte lt. |
| | Environment - marine | | PNEC | 0,04 | mg/l | Für entspr echen des Silantri ol (Hydro lyspro dukt) ermitte lt. |
| | Environment - water, sporadic (intermittent) release | | PNEC | 2,4 | mg/l | Für entspr echen des Silantri ol (Hydro lyspro dukt) ermitte lt. |
| | Environment - sewage treatment plant | | PNEC | 6,6 | mg/l | Für entspr echen des Silantri ol (Hydro lyspro dukt) ermitte lt. |
| | Environment - sediment, freshwater | | PNEC | 1,5 | mg/kg dw | Für entspr echen des Silantri ol (Hydro lyspro dukt) ermitte lt. |
| | Environment - sediment, marine | | PNEC | 0,15 | mg/kg dw | Für entspr echen des Silantri ol (Hydro lyspro dukt) ermitte lt. |
| | Environment - soil | | PNEC | 0,06 | mg/kg dw | Für entspr echen des Silantri ol (Hydro lyspro dukt) ermitte lt. |
| Consumer | Human - dermal | Short term, systemic effects | DNEL | 0,1 | mg/kg bw/day | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 0,1 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 0,7 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,1 | mg/kg bw/day | |
| Consumer | Human - inhalation | Short term, systemic effects | DNEL | 93,4 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 0,2 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 2,6 | mg/m3 | |
| Workers / employees | Human - inhalation | Short term, systemic effects | DNEL | 4,9 | mg/m3 | |

3-(trimethoxysilyl)propylamine

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------|------------|-------|------|------|
| | Environment - freshwater | | PNEC | 0,33 | mg/l | |
| | Environment - marine | | PNEC | 0,033 | mg/l | |

| | | | | | | |
|---------------------|--|------------------------------|------|-------|------------------|--|
| | Environment - water, sporadic (intermittent) release | | PNEC | 3,3 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 1,2 | mg/kg dry weight | |
| | Environment - sediment, marine | | PNEC | 0,12 | mg/kg dry weight | |
| | Environment - soil | | PNEC | 0,045 | mg/kg dry weight | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 17 | mg/m3 | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 5 | mg/kg bw/day | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 5 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Short term, systemic effects | DNEL | 17,4 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 58 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 8,3 | mg/kg bw/d | |

Calcium carbonate

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|-----------------------------|------------|-------|--------------|------|
| | Environment - sewage treatment plant | | PNEC | 100 | mg/l | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 6,1 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 10 | mg/m3 | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 1,06 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 4,26 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 10 | mg/m3 | |

Methanol

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------------------|------------|-------|-----------------------|------|
| | Environment - freshwater | | PNEC | 154 | mg/l | |
| | Environment - marine | | PNEC | 15,4 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 570,4 | mg/kg | |
| | Environment - sediment, marine | | PNEC | 57,04 | mg/kg | |
| | Environment - soil | | PNEC | 23,5 | mg/kg | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 1540 | mg/l | |
| | Environment - sewage treatment plant | | PNEC | 100 | mg/l | |
| | Environment - freshwater | | PNEC | 20,8 | mg/l | |
| | Environment - marine | | PNEC | 2,08 | mg/l | |
| | Environment - sediment | | PNEC | 77 | mg/kg | |
| | Environment - sediment | | PNEC | 7,7 | mg/kg | |
| Consumer | Human - inhalation | Short term, local effects | DNEL | 50 | mg/m3 | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 50 | mg/m3 | |
| Consumer | Human - dermal | Short term, systemic effects | DNEL | 8 | mg/kg body weight/day | |
| Consumer | Human - inhalation | Short term, systemic effects | DNEL | 50 | mg/m3 | |
| Consumer | Human - oral | Short term, systemic effects | DNEL | 8 | mg/kg body weight/day | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 8 | mg/kg body weight/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 50 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 8 | mg/kg body weight/day | |
| Workers / employees | Human - dermal | Short term, systemic effects | DNEL | 40 | mg/kg body weight/day | |
| Workers / employees | Human - inhalation | Short term, systemic effects | DNEL | 260 | mg/m3 | |
| Workers / employees | Human - inhalation | Short term, local effects | DNEL | 260 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 40 | mg/kg body weight/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 260 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 260 | mg/m3 | |

(GB) WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage. ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE),
 (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.
 Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.
 BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.
 Wash hands before breaks and at end of work.
 Keep away from food, drink and animal feedingstuffs.
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:
 Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:
 Chemical resistant protective gloves (EN 374).

Recommended
 Protective nitrile gloves (EN 374).
 Minimum layer thickness in mm:
 >= 0,35
 Permeation time (penetration time) in minutes:
 >= 120

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:
 Normally not necessary.

Thermal hazards:
 Not applicable

Additional information on hand protection - No tests have been performed.
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.
 Selection of materials derived from glove manufacturer's indications.
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---------------------------|
| Physical state: | Pastelike, Liquid |
| Colour: | White |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| pH-value: | n.a. |
| Melting point/freezing point: | Not determined |
| Initial boiling point and boiling range: | Not determined |
| Flash point: | Not determined |
| Evaporation rate: | n.a. |
| Flammability (solid, gas): | n.a. |
| Lower explosive limit: | Not determined |
| Upper explosive limit: | Not determined |
| Vapour pressure: | Not determined |
| Vapour density (air = 1): | n.a. |
| Density: | -1,47 g/cm3 (20°C) |
| Bulk density: | n.a. |
| Solubility(ies): | Not determined |
| Water solubility: | Insoluble |
| Partition coefficient (n-octanol/water): | Not determined |
| Auto-ignition temperature: | n.a. |
| Decomposition temperature: | Not determined |
| Viscosity: | Not determined |
| Explosive properties: | Product is not explosive. |
| Oxidising properties: | No |

9.2 Other information

| | |
|------------------------------|----------------|
| Miscibility: | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity: | Not determined |
| Surface tension: | Not determined |
| Solvents content: | Not determined |
| Metal content: | Not determined |
| Molar mass: | Not determined |
| Chemical heat of combustion: | Not determined |

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

reacts with water

10.4 Conditions to avoid

See also section 7.
 Strong heat
 Moisture

10.5 Incompatible materials

See also section 7.
 None known

10.6 Hazardous decomposition products

See also section 5.2
 In case of contact with water:
 Methanol

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

| BONDTEC STP 70 Power | | | | | | |
|---|-----------|-------|---------|-----------|-------------|--|
| Toxicity / effect | Endpo int | Value | Unit | Organis m | Test method | Notes |
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | ATE | >20 | mg/l/4h | | | calculated value, Vapours |
| Acute toxicity, by inhalation: | ATE | >5 | mg/l/4h | | | calculated value, Aerosol |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin sensitisation: | | | | | | n.d.a. |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | n.d.a. |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |
| Other information: | | | | | | Classification according to calculation procedure. |

| Trimethoxyvinylsilane | | | | | | |
|---|-----------|-------|---------|------------|--|--|
| Toxicity / effect | Endpo int | Value | Unit | Organis m | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 7120 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | 3200 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LD50 | 2773 | ppm/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Aerosol |
| Acute toxicity, by inhalation: | LC50 | 16,8 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Vapours |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Slightly irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Not irritant |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |
| Carcinogenicity: | | | | | | Negative |
| Reproductive toxicity: | NOAE L | 1000 | mg/kg | Rat | OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Develo. Tox. Screening Test) | Negative |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAE L | 10 | mg/l | Rat | OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Develo. Tox. Screening Test) | Vapours |
| Symptoms: | | | | | | drowsiness, dizziness, nausea, abdominal pain, breathing difficulties, visual disturbances |

| 3-(trimethoxysilyl)propylamine | | | | | | |
|----------------------------------|-----------|--------|-------|-----------|--|---------------------------------|
| Toxicity / effect | Endpo int | Value | Unit | Organis m | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >2000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >10000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Risk of serious damage to eyes. |

| | | | | | | |
|------------------------------------|-------|-----|-------|------------------------|--|--------------------------------|
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative, Analogous conclusion |
| Reproductive toxicity: | NOAEL | 200 | mg/kg | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | |

| Calcium carbonate | | | | | | |
|---|----------|-------|------------|----------|---|-----------------------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >2000 | mg/kg | Rat | OECD 420 (Acute Oral toxicity - Fixed Dose Procedure) | |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rat | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | >3 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Not irritant |
| Respiratory or skin sensitisation: | | | | Mouse | OECD 429 (Skin Sensitisation - Local Lymph Node Assay) | Not sensitizing |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |
| Carcinogenicity: | | | | | | No indications of such an effect. |
| Reproductive toxicity: | NOEL | 1000 | mg/kg bw/d | Rat | OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Development. Tox. Screening Test) | |
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | No indications of such an effect. |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | No indications of such an effect. |
| Aspiration hazard: | | | | | | No |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 1000 | mg/kg bw/d | Rat | OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Development. Tox. Screening Test) | |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEC | 0,212 | mg/l | Rat | OECD 413 (Subchronic Inhalation Toxicity - 90-Day Study) | |

| Methanol | | | | | | |
|------------------------------------|----------|-------|---------|-------------|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | ATE | 300 | mg/kg | Human being | | Experiences on persons. |
| Acute toxicity, by dermal route: | LD50 | 17100 | mg/kg | Rabbit | | Does not conform with EU classification. |
| Acute toxicity, by inhalation: | LC50 | 85 | mg/l/4h | Rat | | Not relevant for classification. Vapours |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Mild irritant |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |

| | | | | | | | |
|------------------|--|--|--|--|-------|--|--|
| Carcinogenicity: | | | | | Mouse | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies) | Negative |
| Symptoms: | | | | | | | abdominal pain, vomiting, headaches, gastrointestinal disturbances, drowsiness, visual disturbances, watering eyes, nausea, mental confusion |

| Silica, amorphous | | | | | | |
|----------------------------------|----------|--------|-------|----------|---|--------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 423 (Acute Oral Toxicity - Acute Toxic Class Method) | |
| Acute toxicity, by dermal route: | LD50 | > 2000 | mg/kg | Rat | OECD 402 (Acute Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Not irritant |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Aspiration hazard: | | | | | | No |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| BONDTEC STP 70 Power | | | | | | | |
|---|----------|------|-------|------|----------|-------------|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and degradability: | | | | | | | n.d.a. |
| 12.3. Bioaccumulative potential: | | | | | | | n.d.a. |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT and vPvB assessment: | | | | | | | n.d.a. |
| 12.6. Other adverse effects: | | | | | | | n.d.a. |
| Other information: | | | | | | | According to the recipe, contains no AOX. |
| Other information: | | | | | | | DOC-elimination degree (complexing organic substance) >= 80%/28d: n.a. |

| Trimethoxyvinylsilane | | | | | | | |
|---|-----------|------|-------|------|---------------------------|--|-------------------------------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | 191 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 28 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 169 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | >957 | mg/l | Scenedesmus subspicatus | | 88/302/EC |
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Selenastrum capricornutum | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 51 | % | | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Readily biodegradable |
| 12.5. Results of PBT and vPvB assessment: | | | | | | | No PBT substance, No vPvB substance |

| | | | | | | | |
|-----------------------|------|----|-------|------|------------------|--|--|
| Toxicity to bacteria: | EC50 | 3h | >2500 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
|-----------------------|------|----|-------|------|------------------|--|--|

| 3-(trimethoxysilyl)propylamine | | | | | | | |
|--|----------|------|-------|------|-------------------------|--|---|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | >934 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | Analogous conclusion |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 331 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Analogous conclusion |
| 12.1. Toxicity to algae: | EC50 | 72h | >1000 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | Analogous conclusion |
| 12.2. Persistence and degradability: | | 28d | 67 | % | | Regulation (EC) 440/2008 C.4-A (DETERMINATION OF 'READY' BIODEGRADABILITY - DOC DIE-AWAY TEST) | Not readily biodegradable, Analogous conclusion |
| 12.3. Bioaccumulative potential: | | | | | | | No |
| 12.4. Mobility in soil: | | | | | | | Slight |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC50 | | 3400 | mg/l | activated sludge | | |
| Toxicity to bacteria: | EC10 | | 13 | mg/l | Pseudomonas putida | | Analogous conclusion 5,75 h |
| Toxicity to bacteria: | EC50 | | 43 | mg/l | Pseudomonas putida | | Analogous conclusion 5,75 h |

| Calcium carbonate | | | | | | | |
|--|------------|------|-------|------|-------------------------|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | | | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | No observation with saturated solution of test material. |
| 12.1. Toxicity to daphnia: | EC50 | 48h | | | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | No observation with saturated solution of test material. |
| 12.1. Toxicity to algae: | EC50 | 72h | >14 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/N OEL | 72h | 14 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | | | | | | Not relevant for inorganic substances |
| 12.3. Bioaccumulative potential: | | | | | | | Not to be expected |
| 12.4. Mobility in soil: | | | | | | | n.a. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC50 | 3h | >1000 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
| Toxicity to bacteria: | NOEC/N OEL | 3h | 1000 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |

| | | | | | | | | |
|-------------------|------------|-----|--------|-----------|-----------------|--|---|-------------------------|
| Other organisms: | EC50 | 21d | >1000 | mg/k g dw | | | OECD 208 (Terrestrial Plants, Growth Test) | Glycine max |
| Other organisms: | EC50 | 21d | >1000 | mg/k g dw | | | OECD 208 (Terrestrial Plants, Growth Test) | Lycopersicon esculentum |
| Other organisms: | EC50 | 21d | >1000 | mg/k g dw | | | OECD 208 (Terrestrial Plants, Growth Test) | Avena sativa |
| Other organisms: | NOEC/N OEL | 21d | 1000 | mg/k g dw | | | OECD 208 (Terrestrial Plants, Growth Test) | Glycine max |
| Other organisms: | NOEC/N OEL | 21d | 1000 | mg/k g dw | | | OECD 208 (Terrestrial Plants, Growth Test) | Lycopersicon esculentum |
| Other organisms: | NOEC/N OEL | 21d | 1000 | mg/k g dw | | | OECD 208 (Terrestrial Plants, Growth Test) | Avena sativa |
| Other organisms: | EC50 | 14d | >1000 | mg/k g dw | Eisenia foetida | | OECD 207 (Earthworm, Acute Toxicity Tests) | |
| Other organisms: | NOEC/N OEL | 14d | 1000 | mg/k g dw | Eisenia foetida | | OECD 207 (Earthworm, Acute Toxicity Tests) | |
| Other organisms: | EC50 | 28d | >1000 | mg/k g dw | | | OECD 216 (Soil Microorganisms - Nitrogen Transformation Test) | |
| Other organisms: | NOEC/N OEL | 28d | 1000 | mg/k g dw | | | OECD 216 (Soil Microorganisms - Nitrogen Transformation Test) | |
| Water solubility: | | | 0,0166 | g/l | | | OECD 105 (Water Solubility) | 20°C |

| Methanol | | | | | | | |
|--|----------|------|-------|------|---------------------------------|--|-------------------------------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| Other information: | Log Pow | | - | 0,77 | | | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| 12.1. Toxicity to fish: | LC50 | 96h | 15400 | mg/l | Lepomis macrochirus | | |
| 12.1. Toxicity to daphnia: | EC50 | 96h | 18260 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC50 | 96h | 22000 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 99 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | BCF | | 28400 | | Chlorella vulgaris | | Not to be expected |
| Toxicity to bacteria: | IC50 | 3h | >1000 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
| Other information: | DOC | | <70 | % | | | |
| Other information: | BOD | | >60 | % | | | |

| Silica, amorphous | | | | | | | |
|--------------------------------------|----------|------|---------|------|-------------------------|--|---|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | EC0 | 96h | >1000 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC0 | 24h | >1000 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | ErC50 | 72h | >=10000 | mg/l | Scenedesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | | | | | | Inorganic products cannot be eliminated from water through biological purification methods. |

| | | | | | | | |
|--|--|--|--|--|--|--|-------------------------------------|
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
|--|--|--|--|--|--|--|-------------------------------------|

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:
 The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)
 08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances
 Recommendation:
 Sewage disposal shall be discouraged.
 Pay attention to local and national official regulations.
 E.g. suitable incineration plant.
 E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.
 Empty container completely.
 Uncontaminated packaging can be recycled.
 Dispose of packaging that cannot be cleaned in the same manner as the substance.
 15 01 10 packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

General statements

14.1. UN number: n.a.
Transport by road/by rail (ADR/RID)
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es): n.a.
 14.4. Packing group: n.a.
 Classification code: n.a.
 LQ: n.a.
 14.5. Environmental hazards: Not applicable
 Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:
 14.3. Transport hazard class(es): n.a.
 14.4. Packing group: n.a.
 Marine Pollutant: n.a.
 14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:
 14.3. Transport hazard class(es): n.a.
 14.4. Packing group: n.a.
 14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:
 Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!
 Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 2 - This product contains the substances listed below:

| Entry Nr | Dangerous substances | Notes to Annex I | Qualifying quantity (tonnes) for the application of - Lower-tier requirements | Qualifying quantity (tonnes) for the application of - Upper-tier requirements |
|----------|----------------------|------------------|---|---|
| 22 | Methanol | | 500 | 5000 |

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC):

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 8
 These details refer to the product as it is delivered.
 Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used |
|---|--|
| Eye Irrit. 2, H319 | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).
 H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H332 Harmful if inhaled.

Eye Irrit. — Eye irritation
 Flam. Liq. — Flammable liquid
 Acute Tox. — Acute toxicity - inhalation
 Skin Irrit. — Skin irritation
 Eye Dam. — Serious eye damage

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to
 ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
 AOX Adsorbable organic halogen compounds
 approx. approximately
 Art., Art. no. Article number
 ASTM ASTM International (American Society for Testing and Materials)
 BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
 BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
 BSEF The International Bromine Council
 bw body weight
 CAS Chemical Abstracts Service
 CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
 CMR carcinogenic, mutagenic, reproductive toxic
 DMEL Derived Minimum Effect Level
 DNEL Derived No Effect Level
 dw dry weight
 e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
 EC European Community
 ECHA European Chemicals Agency
 EEC European Economic Community
 EINECS European Inventory of Existing Commercial Chemical Substances
 ELINCS European List of Notified Chemical Substances
 EN European Norms
 EPA United States Environmental Protection Agency (United States of America)
 etc. et cetera
 EU European Union
 EVAL Ethylene-vinyl alcohol copolymer
 Fax. Fax number
 gen. general
 GHS Globally Harmonized System of Classification and Labelling of Chemicals
 GWP Global warming potential
 IARC International Agency for Research on Cancer
 IATA International Air Transport Association
 IBC (Code) International Bulk Chemical (Code)
 IMDG-code International Maritime Code for Dangerous Goods
 incl. including, inclusive
 IUCLID International Uniform Chemical Information Database
 LQ Limited Quantities
 MARPOL International Convention for the Prevention of Marine Pollution from Ships
 n.a. not applicable
 n.av. not available
 n.c. not checked
 n.d.a. no data available
 OECD Organisation for Economic Co-operation and Development
 org. organic
 PBT persistent, bioaccumulative and toxic
 PE Polyethylene
 PNEC Predicted No Effect Concentration
 ppm parts per million
 PVC Polyvinylchloride
 REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
 REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
 RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
 SVHC Substances of Very High Concern
 Tel. Telephone
 UN RTDG United Nations Recommendations on the Transport of Dangerous Goods
 VOC Volatile organic compounds
 vPvB very persistent and very bioaccumulative
 wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:
Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.