

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### **BONDTEC STP 70 Power**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### **Relevant identified uses of the substance or mixture:**

Adhesive

Assembly material

##### **Uses advised against:**

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

Fola Abfülltechnik GmbH

Industriestraße 55

D-40822 Mettmann

Tel.: +49 2104 28680-10

Fax: +49 2104 28680-20

www.fola-abfuelltechnik.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

##### **Emergency information services / official advisory body:**

---

##### **Telephone number of the company in case of emergencies:**

+49 (0) 700 / 24 112 112 (WIC)

+1 872 5888271 (WIC)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification according to Regulation (EC) 1272/2008 (CLP)**

| Hazard class | Hazard category | Hazard statement                    |
|--------------|-----------------|-------------------------------------|
| Eye Irrit.   | 2               | H319-Causes serious eye irritation. |

#### 2.2 Label elements

##### **Labeling according to Regulation (EC) 1272/2008 (CLP)**



Warning

H319-Causes serious eye irritation.

P280-Wear eye protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get medical advice / attention.

EUH208-Contains Trimethoxyvinylsilane. May produce an allergic reaction.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

| Trimethoxyvinylsilane                                                  |                                                                                               |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Registration number (REACH)                                            | 01-2119513215-52-XXXX                                                                         |
| Index                                                                  | 014-049-00-0                                                                                  |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 220-449-8                                                                                     |
| CAS                                                                    | 2768-02-7                                                                                     |
| content %                                                              | 1-5                                                                                           |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Flam. Liq. 3, H226<br>Acute Tox. 4, H332<br>Skin Sens. 1B, H317                               |
| Specific Concentration Limits and ATE                                  | ATE (as inhalation, Dusts or mist): 1,5 mg/l/4h<br>ATE (as inhalation, Vapours): 16,8 mg/l/4h |

| 3-(trimethoxysilyl)propylamine                                         |                                         |
|------------------------------------------------------------------------|-----------------------------------------|
| Registration number (REACH)                                            | 01-2119510159-45-XXXX                   |
| Index                                                                  | ---                                     |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 237-511-5                               |
| CAS                                                                    | 13822-56-5                              |
| content %                                                              | 1-<3                                    |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Irrit. 2, H315<br>Eye Dam. 1, H318 |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Unsuitable cleaning product:

Solvent

Thinners

**Eye contact**

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

**Ingestion**

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

**4.3 Indication of any immediate medical attention and special treatment needed**

n.c.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**CO<sub>2</sub>

Extinction powder

Water jet spray

Large fire:

Water jet spray / alcohol resistant foam

**Unsuitable extinguishing media**

None known

**5.2 Special hazards arising from the substance or mixture**

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Toxic gases

**5.3 Advice for firefighters**

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****6.1.1 For non-emergency personnel**

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

**6.1.2 For emergency responders**

See section 8 for suitable protective equipment and material specifications.

**6.2 Environmental precautions**

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

**6.3 Methods and material for containment and cleaning up**

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Or:

Pick up mechanically and dispose of according to Section 13.

**6.4 Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store cool.

Store in a dry place.

### 7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

The methanol listed below can arise upon contact with water.

| (GB) Chemical Name                                                                          |  | Calcium carbonate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |     |
|---------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| WEL-TWA: 4 mg/m <sup>3</sup> (respirable dust), 10 mg/m <sup>3</sup> (total inhalable dust) |  | WEL-STEL: ---                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | --- |
| Monitoring procedures:                                                                      |  | ---                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |
| BMGV: ---                                                                                   |  | Other information: ---                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |
| (GB) Chemical Name                                                                          |  | Siloxanes and silicones, dimethyl-, reaction products with silica                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |     |
| WEL-TWA: 6 mg/m <sup>3</sup> (total inh. dust), 2,4 mg/m <sup>3</sup> (resp. dust)          |  | WEL-STEL: ---                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | --- |
| Monitoring procedures:                                                                      |  | ---                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |
| BMGV: ---                                                                                   |  | Other information: ---                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |
| (GB) Chemical Name                                                                          |  | Methanol                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |     |
| WEL-TWA: 200 ppm (266 mg/m <sup>3</sup> ) (WEL-TWA), 200 ppm (260 mg/m <sup>3</sup> ) (EU)  |  | WEL-STEL: 250 ppm (333 mg/m <sup>3</sup> ) (WEL-STEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | --- |
| Monitoring procedures:                                                                      |  | <ul style="list-style-type: none"> <li>- Draeger - Alcohol 25/a Methanol (81 01 631)</li> <li>- Compur - KITA-119 SA (549 640)</li> <li>- Compur - KITA-119 U (549 657)</li> <li>- DFG Meth. Nr. 6 (D) (Lösungsmittelgemische 6), DFG (E) (Solvent mixtures 6) - 2013, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 65-1 (2004)</li> <li>- NIOSH 2000 (METHANOL) - 1998</li> <li>- NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996</li> <li>- NIOSH 3800 (ORGANIC AND INORGANIC GASES BY EXTRACTIVE FTIR SPECTROMETRY) - 2016</li> <li>- Draeger - Alcohol 100/a (CH 29 701)</li> </ul> |     |
| BMGV: ---                                                                                   |  | Other information: Sk (WEL, EU)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |     |

| Area of application | Exposure route / Environmental compartment           | Effect on health             | Descriptor | Value | Unit         | Note                   |
|---------------------|------------------------------------------------------|------------------------------|------------|-------|--------------|------------------------|
|                     | Environment - freshwater                             |                              | PNEC       | 0,4   | mg/l         | Assessment factor: 50  |
|                     | Environment - marine                                 |                              | PNEC       | 0,04  | mg/l         | Assessment factor: 500 |
|                     | Environment - water, sporadic (intermittent) release |                              | PNEC       | 1,21  | mg/l         |                        |
|                     | Environment - sewage treatment plant                 |                              | PNEC       | 6,6   | mg/l         |                        |
|                     | Environment - sediment, freshwater                   |                              | PNEC       | 0,29  | mg/kg dw     |                        |
|                     | Environment - sediment, marine                       |                              | PNEC       | 0,15  | mg/kg dw     |                        |
|                     | Environment - soil                                   |                              | PNEC       | 0,048 | mg/kg dw     |                        |
| Consumer            | Human - dermal                                       | Short term, systemic effects | DNEL       | 0,1   | mg/kg bw/day |                        |
| Consumer            | Human - dermal                                       | Long term, systemic effects  | DNEL       | 0,63  | mg/kg bw/day |                        |
| Consumer            | Human - inhalation                                   | Long term, systemic effects  | DNEL       | 6,8   | mg/m3        |                        |
| Consumer            | Human - oral                                         | Long term, systemic effects  | DNEL       | 0,63  | mg/kg bw/day |                        |
| Consumer            | Human - inhalation                                   | Short term, systemic effects | DNEL       | 93,4  | mg/m3        |                        |
| Workers / employees | Human - dermal                                       | Long term, systemic effects  | DNEL       | 0,91  | mg/kg bw/d   |                        |
| Workers / employees | Human - inhalation                                   | Long term, systemic effects  | DNEL       | 27,6  | mg/m3        |                        |
| Workers / employees | Human - inhalation                                   | Short term, systemic effects | DNEL       | 4,9   | mg/m3        |                        |

**3-(trimethoxysilyl)propylamine**

| Area of application | Exposure route / Environmental compartment           | Effect on health             | Descriptor | Value | Unit             | Note |
|---------------------|------------------------------------------------------|------------------------------|------------|-------|------------------|------|
|                     | Environment - freshwater                             |                              | PNEC       | 0,5   | mg/l             |      |
|                     | Environment - marine                                 |                              | PNEC       | 0,05  | mg/l             |      |
|                     | Environment - water, sporadic (intermittent) release |                              | PNEC       | 3,3   | mg/l             |      |
|                     | Environment - sediment, freshwater                   |                              | PNEC       | 1,8   | mg/kg dry weight |      |
|                     | Environment - sediment, marine                       |                              | PNEC       | 0,18  | mg/kg dry weight |      |
|                     | Environment - soil                                   |                              | PNEC       | 0,045 | mg/kg dry weight |      |
|                     | Environment - sewage treatment plant                 |                              | PNEC       | 0,81  | mg/l             |      |
|                     | Environment - oral (animal feed)                     |                              | PNEC       | 11,1  | mg/kg            |      |
| Consumer            | Human - inhalation                                   | Short term, systemic effects | DNEL       | 17,4  | mg/m3            |      |
| Consumer            | Human - dermal                                       | Short term, systemic effects | DNEL       | 5     | mg/kg bw/day     |      |
| Consumer            | Human - inhalation                                   | Long term, systemic effects  | DNEL       | 1,7   | mg/m3            |      |
| Consumer            | Human - dermal                                       | Long term, systemic effects  | DNEL       | 0,5   | mg/kg            |      |
| Consumer            | Human - oral                                         | Long term, systemic effects  | DNEL       | 5     | mg/kg bw/day     |      |

|                     |                    |                              |      |      |              |  |
|---------------------|--------------------|------------------------------|------|------|--------------|--|
| Workers / employees | Human - inhalation | Short term, systemic effects | DNEL | 17,4 | mg/m3        |  |
| Workers / employees | Human - dermal     | Short term, systemic effects | DNEL | 8,3  | mg/kg bw/day |  |
| Workers / employees | Human - inhalation | Long term, systemic effects  | DNEL | 7,1  | mg/m3        |  |
| Workers / employees | Human - dermal     | Long term, systemic effects  | DNEL | 1    | mg/kg        |  |

| Calcium carbonate   |                                            |                              |            |       |              |      |
|---------------------|--------------------------------------------|------------------------------|------------|-------|--------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health             | Descriptor | Value | Unit         | Note |
|                     | Environment - sewage treatment plant       |                              | PNEC       | 100   | mg/l         |      |
| Consumer            | Human - oral                               | Long term, systemic effects  | DNEL       | 6,1   | mg/kg bw/day |      |
| Consumer            | Human - inhalation                         | Long term, systemic effects  | DNEL       | 10    | mg/m3        |      |
| Consumer            | Human - inhalation                         | Long term, local effects     | DNEL       | 1,06  | mg/m3        |      |
| Consumer            | Human - oral                               | Short term, systemic effects | DNEL       | 6,1   | mg/kg bw/day |      |
| Workers / employees | Human - inhalation                         | Long term, local effects     | DNEL       | 4,26  | mg/m3        |      |
| Workers / employees | Human - inhalation                         | Long term, systemic effects  | DNEL       | 10    | mg/m3        |      |

| Methanol            |                                                      |                              |            |       |              |      |
|---------------------|------------------------------------------------------|------------------------------|------------|-------|--------------|------|
| Area of application | Exposure route / Environmental compartment           | Effect on health             | Descriptor | Value | Unit         | Note |
|                     | Environment - freshwater                             |                              | PNEC       | 154   | mg/l         |      |
|                     | Environment - marine                                 |                              | PNEC       | 15,4  | mg/l         |      |
|                     | Environment - sediment, freshwater                   |                              | PNEC       | 570,4 | mg/kg        |      |
|                     | Environment - sediment, marine                       |                              | PNEC       | 57,04 | mg/kg        |      |
|                     | Environment - soil                                   |                              | PNEC       | 23,5  | mg/kg        |      |
|                     | Environment - water, sporadic (intermittent) release |                              | PNEC       | 1540  | mg/l         |      |
|                     | Environment - sewage treatment plant                 |                              | PNEC       | 100   | mg/l         |      |
| Consumer            | Human - inhalation                                   | Long term, local effects     | DNEL       | 26    | mg/m3        |      |
| Consumer            | Human - inhalation                                   | Short term, local effects    | DNEL       | 26    | mg/m3        |      |
| Consumer            | Human - dermal                                       | Short term, systemic effects | DNEL       | 4     | mg/kg bw/day |      |
| Consumer            | Human - inhalation                                   | Short term, systemic effects | DNEL       | 26    | mg/m3        |      |
| Consumer            | Human - oral                                         | Short term, systemic effects | DNEL       | 4     | mg/kg bw/day |      |
| Consumer            | Human - dermal                                       | Long term, systemic effects  | DNEL       | 4     | mg/kg bw/day |      |
| Consumer            | Human - inhalation                                   | Long term, systemic effects  | DNEL       | 26    | mg/m3        |      |
| Consumer            | Human - oral                                         | Long term, systemic effects  | DNEL       | 4     | mg/kg bw/day |      |
| Workers / employees | Human - dermal                                       | Short term, systemic effects | DNEL       | 20    | mg/kg bw/day |      |
| Workers / employees | Human - inhalation                                   | Short term, systemic effects | DNEL       | 130   | mg/m3        |      |

|                     |                    |                             |      |     |              |  |
|---------------------|--------------------|-----------------------------|------|-----|--------------|--|
| Workers / employees | Human - inhalation | Short term, local effects   | DNEL | 130 | mg/m3        |  |
| Workers / employees | Human - dermal     | Long term, systemic effects | DNEL | 20  | mg/kg bw/day |  |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 130 | mg/m3        |  |
| Workers / employees | Human - inhalation | Long term, local effects    | DNEL | 130 | mg/m3        |  |

GB - United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
 (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |  
 | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
 (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |  
 | BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
 (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |  
 | Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU or 2024/869/EU:  
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (98/24/EC, 2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE), (15) = Substantial contribution to the total body burden via dermal exposure possible. |

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN ISO 16321-1).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Recommended

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

>= 0,35

Permeation time (penetration time) in minutes:

>= 120

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:  
Normally not necessary.

Thermal hazards:  
Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                           |                                                      |
|-----------------------------------------------------------|------------------------------------------------------|
| Physical state:                                           | Paste, liquid.                                       |
| Colour:                                                   | White                                                |
| Odour:                                                    | Characteristic                                       |
| Melting point/freezing point:                             | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability:                                             | Combustible.                                         |
| Lower explosion limit:                                    | There is no information available on this parameter. |
| Upper explosion limit:                                    | There is no information available on this parameter. |
| Flash point:                                              | There is no information available on this parameter. |
| Auto-ignition temperature:                                | n.a.                                                 |
| Decomposition temperature:                                | There is no information available on this parameter. |
| pH:                                                       | Mixture is non-soluble (in water).                   |
| Kinematic viscosity:                                      | There is no information available on this parameter. |
| Solubility:                                               | Insoluble                                            |
| Partition coefficient n-octanol/water (log value):        | Does not apply to mixtures.                          |
| Vapour pressure:                                          | There is no information available on this parameter. |
| Density and/or relative density:                          | ~1,47 g/cm <sup>3</sup> (20°C)                       |
| Relative vapour density:                                  | n.a.                                                 |
| Particle characteristics:                                 | Does not apply to liquids.                           |

### 9.2 Other information

|                                         |                                                      |
|-----------------------------------------|------------------------------------------------------|
| Explosives:                             | Product is not explosive.                            |
| Aerosols - Chemical heat of combustion: | There is no information available on this parameter. |
| Oxidising liquids:                      | No                                                   |
| Evaporation rate:                       | n.a.                                                 |
| Bulk density:                           | n.a.                                                 |
| Molar mass:                             | There is no information available on this parameter. |
| Metal content:                          | There is no information available on this parameter. |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

reacts with water

### 10.4 Conditions to avoid

See also section 7.

Strong heat

Moisture

### 10.5 Incompatible materials

See also section 7.

None known

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 28.04.2026 / 0007

Replacing version dated / version: 25.11.2024 / 0006

Valid from: 28.04.2026

PDF print date: 28.04.2026

BONDTEC STP 70 Power

## 10.6 Hazardous decomposition products

See also section 5.2

In case of contact with water:

Methanol

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| BONDTEC STP 70 Power                                          |          |       |         |          |                                                        |                                     |
|---------------------------------------------------------------|----------|-------|---------|----------|--------------------------------------------------------|-------------------------------------|
| Toxicity / effect                                             | Endpoint | Value | Unit    | Organism | Test method                                            | Notes                               |
| Acute toxicity, by oral route:                                |          |       |         |          |                                                        | n.d.a.                              |
| Acute toxicity, by dermal route:                              |          |       |         |          |                                                        | n.d.a.                              |
| Acute toxicity, by inhalation:                                | ATE      | >20   | mg/l/4h |          |                                                        | calculated value, Vapours           |
| Acute toxicity, by inhalation:                                | ATE      | >5    | mg/l/4h |          |                                                        | calculated value, Aerosol           |
| Skin corrosion/irritation:                                    |          |       |         |          |                                                        | n.d.a.                              |
| Serious eye damage/irritation:                                |          |       |         |          |                                                        | n.d.a.                              |
| Respiratory or skin sensitisation:                            |          |       |         |          | OECD 429 (Skin Sensitisation - Local Lymph Node Assay) | No (skin contact), Expert judgement |
| Germ cell mutagenicity:                                       |          |       |         |          |                                                        | n.d.a.                              |
| Carcinogenicity:                                              |          |       |         |          |                                                        | n.d.a.                              |
| Reproductive toxicity:                                        |          |       |         |          |                                                        | n.d.a.                              |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |         |          |                                                        | n.d.a.                              |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |         |          |                                                        | n.d.a.                              |
| Aspiration hazard:                                            |          |       |         |          |                                                        | n.d.a.                              |
| Symptoms:                                                     |          |       |         |          |                                                        | n.d.a.                              |

| Trimethoxyvinylsilane              |          |       |         |            |                                                       |                          |
|------------------------------------|----------|-------|---------|------------|-------------------------------------------------------|--------------------------|
| Toxicity / effect                  | Endpoint | Value | Unit    | Organism   | Test method                                           | Notes                    |
| Acute toxicity, by oral route:     | LD50     | 7120  | mg/kg   | Rat        | OECD 401 (Acute Oral Toxicity)                        |                          |
| Acute toxicity, by dermal route:   | LD50     | 3200  | mg/kg   | Rabbit     | OECD 402 (Acute Dermal Toxicity)                      |                          |
| Acute toxicity, by inhalation:     | LC50     | 16,8  | mg/l/4h | Rat        | OECD 403 (Acute Inhalation Toxicity)                  | Vapours                  |
| Acute toxicity, by inhalation:     | ATE      | 16,8  | mg/l/4h |            |                                                       | Vapours                  |
| Acute toxicity, by inhalation:     | ATE      | 1,5   | mg/l/4h |            |                                                       | Dusts or mist            |
| Skin corrosion/irritation:         |          |       |         | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion)          | Not irritant             |
| Serious eye damage/irritation:     |          |       |         | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)             | Not irritant             |
| Respiratory or skin sensitisation: |          |       |         | Guinea pig | OECD 406 (Skin Sensitisation)                         | Skin Sens. 1B            |
| Germ cell mutagenicity:            |          |       |         |            | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative Chinese hamster |
| Germ cell mutagenicity:            |          |       |         | Mouse      | OECD 474 (Mammalian Erythrocyte Micronucleus Test)    | Negative                 |
| Germ cell mutagenicity:            |          |       |         | Rat        | OECD 489 (In Vivo Mammalian Alkaline Comet Assay)     | Negative                 |

|                                                                         |       |       |       |                        |                                                                                                    |                                                                                            |
|-------------------------------------------------------------------------|-------|-------|-------|------------------------|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Germ cell mutagenicity:                                                 |       |       |       | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                                                         | Negative                                                                                   |
| Reproductive toxicity:                                                  | NOAEL | 1000  | mg/kg | Rat                    | OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Development Tox. Screening Test) | Negative                                                                                   |
| Reproductive toxicity (Developmental toxicity):                         | NOAEL | >= 75 | mg/kg | Rabbit                 | OECD 414 (Prenatal Developmental Toxicity Study)                                                   | Negative                                                                                   |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral:     | NOAEL | 62,5  | mg/kg | Rat                    | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)                                     | Target organ(s): bladder                                                                   |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | LOAEL | 0,58  | mg/l  | Rat                    | OECD 413 (Subchronic Inhalation Toxicity - 90-Day Study)                                           | Vapours                                                                                    |
| Symptoms:                                                               |       |       |       |                        |                                                                                                    | drowsiness, dizziness, nausea, abdominal pain, breathing difficulties, visual disturbances |

**3-(trimethoxysilyl)propylamine**

| Toxicity / effect                                                   | Endpoint | Value   | Unit  | Organism               | Test method                                                    | Notes                                          |
|---------------------------------------------------------------------|----------|---------|-------|------------------------|----------------------------------------------------------------|------------------------------------------------|
| Acute toxicity, by oral route:                                      | LD50     | 3030    | mg/kg | Rat                    | OECD 401 (Acute Oral Toxicity)                                 |                                                |
| Acute toxicity, by dermal route:                                    | LD50     | > 10000 | mg/kg | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                               |                                                |
| Skin corrosion/irritation:                                          |          |         |       | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                   | Skin Irrit. 2                                  |
| Serious eye damage/irritation:                                      |          |         |       | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                      | Eye Dam. 1                                     |
| Respiratory or skin sensitisation:                                  |          |         |       | Guinea pig             | OECD 406 (Skin Sensitisation)                                  | No (skin contact)                              |
| Germ cell mutagenicity:                                             |          |         |       | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                     | Negative                                       |
| Germ cell mutagenicity:                                             |          |         |       | Human being            | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)       | Negative, Analogous conclusion                 |
| Germ cell mutagenicity:                                             |          |         |       | Mouse                  | OECD 474 (Mammalian Erythrocyte Micronucleus Test)             | Negative, Analogous conclusion                 |
| Germ cell mutagenicity:                                             |          |         |       |                        | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)          | Negative, Analogous conclusion Chinese hamster |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL    | 200     | mg/kg | Rat                    | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Target organ(s): liver, Analogous conclusion   |

|                                                                     |       |     |       |     |                                                                |                                              |
|---------------------------------------------------------------------|-------|-----|-------|-----|----------------------------------------------------------------|----------------------------------------------|
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | LOAEL | 600 | mg/kg | Rat | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Target organ(s): liver, Analogous conclusion |
|---------------------------------------------------------------------|-------|-----|-------|-----|----------------------------------------------------------------|----------------------------------------------|

| Calcium carbonate                                                       |          |       |            |          |                                                                                                    |                                   |
|-------------------------------------------------------------------------|----------|-------|------------|----------|----------------------------------------------------------------------------------------------------|-----------------------------------|
| Toxicity / effect                                                       | Endpoint | Value | Unit       | Organism | Test method                                                                                        | Notes                             |
| Acute toxicity, by oral route:                                          | LD50     | >2000 | mg/kg      | Rat      | OECD 420 (Acute Oral toxicity - Fixe Dose Procedure)                                               |                                   |
| Acute toxicity, by dermal route:                                        | LD50     | >2000 | mg/kg      | Rat      | OECD 402 (Acute Dermal Toxicity)                                                                   |                                   |
| Acute toxicity, by inhalation:                                          | LC50     | >3    | mg/l/4h    | Rat      | OECD 403 (Acute Inhalation Toxicity)                                                               |                                   |
| Skin corrosion/irritation:                                              |          |       |            | Rabbit   | OECD 404 (Acute Dermal Irritation/Corrosion)                                                       | Not irritant                      |
| Serious eye damage/irritation:                                          |          |       |            | Rabbit   | OECD 405 (Acute Eye Irritation/Corrosion)                                                          | Not irritant                      |
| Respiratory or skin sensitisation:                                      |          |       |            | Mouse    | OECD 429 (Skin Sensitisation - Local Lymph Node Assay)                                             | No (skin contact)                 |
| Germ cell mutagenicity:                                                 |          |       |            |          | OECD 471 (Bacterial Reverse Mutation Test)                                                         | Negative                          |
| Germ cell mutagenicity:                                                 |          |       |            |          | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)                                           | Negative                          |
| Germ cell mutagenicity:                                                 |          |       |            |          | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)                                              | Negative                          |
| Carcinogenicity:                                                        |          |       |            |          |                                                                                                    | No indications of such an effect. |
| Reproductive toxicity:                                                  | NOEL     | 1000  | mg/kg bw/d | Rat      | OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Development Tox. Screening Test) |                                   |
| Specific target organ toxicity - single exposure (STOT-SE):             |          |       |            |          |                                                                                                    | No indications of such an effect. |
| Specific target organ toxicity - repeated exposure (STOT-RE):           |          |       |            |          |                                                                                                    | No indications of such an effect. |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral:     | NOAEL    | 1000  | mg/kg bw/d | Rat      | OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Development Tox. Screening Test) |                                   |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEC    | 0,212 | mg/l       | Rat      | OECD 413 (Subchronic Inhalation Toxicity - 90-Day Study)                                           |                                   |
| Aspiration hazard:                                                      |          |       |            |          |                                                                                                    | No                                |

| Siloxanes and silicones, dimethyl-, reaction products with silica |          |       |       |          |                                |                      |
|-------------------------------------------------------------------|----------|-------|-------|----------|--------------------------------|----------------------|
| Toxicity / effect                                                 | Endpoint | Value | Unit  | Organism | Test method                    | Notes                |
| Acute toxicity, by oral route:                                    | LD50     | >5000 | mg/kg | Rat      | OECD 401 (Acute Oral Toxicity) | Analogous conclusion |

|                                                                     |       |        |         |            |                                                                 |                                         |
|---------------------------------------------------------------------|-------|--------|---------|------------|-----------------------------------------------------------------|-----------------------------------------|
| Acute toxicity, by dermal route:                                    | LD50  | >2000  | mg/kg   | Rabbit     | OECD 402 (Acute Dermal Toxicity)                                | Analogous conclusion                    |
| Acute toxicity, by inhalation:                                      | LC50  | >5,01  | mg/l/4h | Rat        | OECD 436 (Acute Inhalation Toxicity - Acute Toxic Class Method) | Dusts or mist, Analogous conclusion     |
| Skin corrosion/irritation:                                          |       |        |         | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion)                    | Not irritant                            |
| Serious eye damage/irritation:                                      |       |        |         | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)                       | Not irritant                            |
| Respiratory or skin sensitisation:                                  |       |        |         | Mouse      | OECD 429 (Skin Sensitisation - Local Lymph Node Assay)          | No (skin contact), Analogous conclusion |
| Respiratory or skin sensitisation:                                  |       |        |         | Guinea pig | OECD 406 (Skin Sensitisation)                                   | No (skin contact), Analogous conclusion |
| Germ cell mutagenicity:                                             |       |        |         |            | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)        | Negative                                |
| Germ cell mutagenicity:                                             |       |        |         |            | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)           | Negative                                |
| Germ cell mutagenicity:                                             |       |        |         | Rat        | OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test)     | Negative, Analogous conclusion          |
| Germ cell mutagenicity:                                             |       |        |         |            | OECD 490 (In vitro Thymidine Kinase Mutation Test)              | Negative, Analogous conclusion          |
| Germ cell mutagenicity:                                             |       |        |         |            | OECD 471 (Bacterial Reverse Mutation Test)                      | Negative                                |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | >=1000 | mg/kg   | Rat        | OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  | Male, Negative, Analogous conclusion    |
| Aspiration hazard:                                                  |       |        |         |            |                                                                 | No                                      |

| Methanol                           |          |       |         |                        |                                            |                                          |
|------------------------------------|----------|-------|---------|------------------------|--------------------------------------------|------------------------------------------|
| Toxicity / effect                  | Endpoint | Value | Unit    | Organism               | Test method                                | Notes                                    |
| Acute toxicity, by oral route:     | ATE      | 300   | mg/kg   |                        |                                            |                                          |
| Acute toxicity, by oral route:     | LDLo     | 300   | mg/kg   | Human being            |                                            | Experiences on persons.                  |
| Acute toxicity, by dermal route:   | ATE      | 300   | mg/kg   |                        |                                            |                                          |
| Acute toxicity, by dermal route:   | LD50     | 17100 | mg/kg   | Rabbit                 |                                            | Does not conform with EU classification. |
| Acute toxicity, by inhalation:     | ATE      | 3     | mg/l/4h |                        |                                            | Vapours                                  |
| Acute toxicity, by inhalation:     | ATE      | 0,5   | mg/l/4h |                        |                                            | Dusts or mist                            |
| Skin corrosion/irritation:         |          |       |         | Rabbit                 |                                            | Not irritant (BASF-Test)                 |
| Serious eye damage/irritation:     |          |       |         | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)  | Not irritant                             |
| Respiratory or skin sensitisation: |          |       |         | Guinea pig             | OECD 406 (Skin Sensitisation)              | No (skin contact)                        |
| Germ cell mutagenicity:            |          |       |         | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative                                 |

|                                                               |       |      |      |           |                                                              |                                                                                                                                                                       |
|---------------------------------------------------------------|-------|------|------|-----------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Germ cell mutagenicity:                                       |       |      |      | Mammalian | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)        | Negative                                                                                                                                                              |
| Germ cell mutagenicity:                                       |       |      |      | Mouse     | OECD 474 (Mammalian Erythrocyte Micronucleus Test)           | Negative                                                                                                                                                              |
| Carcinogenicity:                                              |       |      |      | Mouse     | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies) | Negative                                                                                                                                                              |
| Reproductive toxicity:                                        | NOAEL | 1,3  | mg/l | Mouse     | OECD 416 (Two-generation Reproduction Toxicity Study)        |                                                                                                                                                                       |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEL | 0,13 | mg/l | Rat       | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies) |                                                                                                                                                                       |
| Aspiration hazard:                                            |       |      |      |           |                                                              | Negative                                                                                                                                                              |
| Symptoms:                                                     |       |      |      |           |                                                              | abdominal pain, vomiting, headaches, gastrointestinal disturbances, drowsiness, visual disturbances, watering eyes, nausea, mental confusion, intoxication, dizziness |

## 11.2. Information on other hazards

| BONDTEC STP 70 Power             |          |       |      |          |             |                                                                       |
|----------------------------------|----------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes                                                                 |
| Endocrine disrupting properties: |          |       |      |          |             | Does not apply to mixtures.                                           |
| Other information:               |          |       |      |          |             | No other relevant information available on adverse effects on health. |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| BONDTEC STP 70 Power                     |          |      |       |      |          |             |                             |
|------------------------------------------|----------|------|-------|------|----------|-------------|-----------------------------|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes                       |
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.                      |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.                      |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.                      |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | n.d.a.                      |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.                      |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.                      |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.                      |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures. |

|                              |  |  |  |  |  |  |                                                                      |
|------------------------------|--|--|--|--|--|--|----------------------------------------------------------------------|
| 12.7. Other adverse effects: |  |  |  |  |  |  | n.d.a.                                                               |
| Other information:           |  |  |  |  |  |  | According to the recipe, contains no AOX.                            |
| Other information:           |  |  |  |  |  |  | DOC-elimination degree(complexing organic substance)>= 80%/28d: n.a. |

| Trimethoxyvinylsilane                    |           |      |       |      |                           |                                                                                          |                                     |
|------------------------------------------|-----------|------|-------|------|---------------------------|------------------------------------------------------------------------------------------|-------------------------------------|
| Toxicity / effect                        | Endpoint  | Time | Value | Unit | Organism                  | Test method                                                                              | Notes                               |
| 12.1. Toxicity to fish:                  | LC50      | 96h  | 191   | mg/l | Oncorhynchus mykiss       | OECD 203 (Fish, Acute Toxicity Test)                                                     |                                     |
| 12.1. Toxicity to daphnia:               | EC50      | 48h  | 168,7 | mg/l | Daphnia magna             | Regulation (EC) 440/2008 C.2 (DAPHNIA SP. ACUTE IMMOBILISATION TEST)                     |                                     |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 21d  | 28,1  | mg/l | Daphnia magna             | OECD 211 (Daphnia magna Reproduction Test)                                               |                                     |
| 12.1. Toxicity to algae:                 | EC50      | 72h  | >100  | mg/l | Selenastrum capricornutum | OECD 201 (Alga, Growth Inhibition Test)                                                  |                                     |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h  | 25    | mg/l | Selenastrum capricornutum |                                                                                          |                                     |
| 12.2. Persistence and degradability:     | BOD       | 28d  | 51    | %    |                           | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)                       | Not readily biodegradable           |
| 12.3. Bioaccumulative potential:         | Log Kow   |      | 1,1   |      |                           |                                                                                          | Not to be expected 20 °C, QSAR      |
| 12.4. Mobility in soil:                  |           |      |       |      |                           |                                                                                          | Slight                              |
| 12.5. Results of PBT and vPvB assessment |           |      |       |      |                           |                                                                                          | No PBT substance, No vPvB substance |
| Toxicity to bacteria:                    | EC10      | 5h   | 1000  | mg/l | Pseudomonas putida        |                                                                                          |                                     |
| Toxicity to bacteria:                    | EC50      | 3h   | >2500 | mg/l | activated sludge          | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |                                     |

| 3-(trimethoxysilyl)propylamine |          |      |       |      |                   |                                      |                      |
|--------------------------------|----------|------|-------|------|-------------------|--------------------------------------|----------------------|
| Toxicity / effect              | Endpoint | Time | Value | Unit | Organism          | Test method                          | Notes                |
| 12.1. Toxicity to fish:        | LC50     | 96h  | > 934 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | Analogous conclusion |

|                                          |         |     |        |      |                         |                                                         |                                     |
|------------------------------------------|---------|-----|--------|------|-------------------------|---------------------------------------------------------|-------------------------------------|
| 12.1. Toxicity to daphnia:               | EC50    | 48h | 331    | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)        | Analogous conclusion                |
| 12.1. Toxicity to algae:                 | EC50    | 72h | > 1000 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                 | Analogous conclusion                |
| 12.2. Persistence and degradability:     |         | 28d | 67     | %    |                         | OECD 301 A (Ready Biodegradability - DOC Die-Away Test) |                                     |
| 12.2. Persistence and degradability:     |         | 28d | 76     | %    |                         | OECD 306 (Biodegradability in Seawater)                 |                                     |
| 12.3. Bioaccumulative potential:         | Log Kow |     | 0,2    |      |                         |                                                         | Not to be expected 20 °C, QSAR      |
| 12.4. Mobility in soil:                  |         |     |        |      |                         |                                                         | Slight                              |
| 12.5. Results of PBT and vPvB assessment |         |     |        |      |                         |                                                         | No PBT substance, No vPvB substance |
| 12.6. Endocrine disrupting properties:   |         |     |        |      |                         |                                                         | Negative                            |
| Toxicity to bacteria:                    | EC50    |     | 3400   | mg/l | activated sludge        |                                                         |                                     |
| Toxicity to bacteria:                    | EC10    | 6h  | 13     | mg/l | Pseudomonas fluorescens |                                                         | Analogous conclusion                |

**Calcium carbonate**

| Toxicity / effect                        | Endpoint  | Time | Value | Unit | Organism                | Test method                                                                              | Notes                                                    |
|------------------------------------------|-----------|------|-------|------|-------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 12.1. Toxicity to fish:                  | LC50      | 96h  |       |      | Oncorhynchus mykiss     | OECD 203 (Fish, Acute Toxicity Test)                                                     | No observation with saturated solution of test material. |
| 12.1. Toxicity to daphnia:               | EC50      | 48h  |       |      | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                         | No observation with saturated solution of test material. |
| 12.1. Toxicity to algae:                 | EC50      | 72h  | >14   | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                                                  |                                                          |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h  | 14    | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                                                  |                                                          |
| 12.2. Persistence and degradability:     |           |      |       |      |                         |                                                                                          | Not relevant for inorganic substances.                   |
| 12.3. Bioaccumulative potential:         |           |      |       |      |                         |                                                                                          | Not to be expected                                       |
| 12.4. Mobility in soil:                  |           |      |       |      |                         |                                                                                          | n.a.                                                     |
| 12.5. Results of PBT and vPvB assessment |           |      |       |      |                         |                                                                                          | No PBT substance, No vPvB substance                      |
| Toxicity to bacteria:                    | EC50      | 3h   | >1000 | mg/l | activated sludge        | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |                                                          |

|                       |           |     |        |          |                  |                                                                                          |                         |
|-----------------------|-----------|-----|--------|----------|------------------|------------------------------------------------------------------------------------------|-------------------------|
| Toxicity to bacteria: | NOEC/NOEL | 3h  | 1000   | mg/l     | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |                         |
| Other organisms:      | EC50      | 21d | >1000  | mg/kg dw |                  | OECD 208 (Terrestrial Plants, Growth Test)                                               | Glycine max             |
| Other organisms:      | EC50      | 21d | >1000  | mg/kg dw |                  | OECD 208 (Terrestrial Plants, Growth Test)                                               | Lycopersicon esculentum |
| Other organisms:      | EC50      | 21d | >1000  | mg/kg dw |                  | OECD 208 (Terrestrial Plants, Growth Test)                                               | Avena sativa            |
| Other organisms:      | NOEC/NOEL | 21d | 1000   | mg/kg dw |                  | OECD 208 (Terrestrial Plants, Growth Test)                                               | Glycine max             |
| Other organisms:      | NOEC/NOEL | 21d | 1000   | mg/kg dw |                  | OECD 208 (Terrestrial Plants, Growth Test)                                               | Lycopersicon esculentum |
| Other organisms:      | NOEC/NOEL | 21d | 1000   | mg/kg dw |                  | OECD 208 (Terrestrial Plants, Growth Test)                                               | Avena sativa            |
| Other organisms:      | EC50      | 14d | >1000  | mg/kg dw | Eisenia foetida  | OECD 207 (Earthworm, Acute Toxicity Tests)                                               |                         |
| Other organisms:      | NOEC/NOEL | 14d | 1000   | mg/kg dw | Eisenia foetida  | OECD 207 (Earthworm, Acute Toxicity Tests)                                               |                         |
| Other organisms:      | EC50      | 28d | >1000  | mg/kg dw |                  | OECD 216 (Soil Microorganisms - Nitrogen Transformation Test)                            |                         |
| Other organisms:      | NOEC/NOEL | 28d | 1000   | mg/kg dw |                  | OECD 216 (Soil Microorganisms - Nitrogen Transformation Test)                            |                         |
| Water solubility:     |           |     | 0,0166 | g/l      |                  | OECD 105 (Water Solubility)                                                              | 20°C                    |

**Siloxanes and silicones, dimethyl-, reaction products with silica**

| Toxicity / effect          | Endpoint | Time | Value  | Unit | Organism                | Test method                                      | Notes                |
|----------------------------|----------|------|--------|------|-------------------------|--------------------------------------------------|----------------------|
| 12.1. Toxicity to fish:    | LC50     | 96h  | >10000 | mg/l | Brachydanio rerio       | OECD 203 (Fish, Acute Toxicity Test)             | Analogous conclusion |
| 12.1. Toxicity to daphnia: | EC50     | 24h  | >1000  | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Analogous conclusion |
| 12.1. Toxicity to algae:   | EC50     | 72h  | >173   | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)          | Analogous conclusion |

|                                          |  |  |  |  |  |  |                                                                                             |
|------------------------------------------|--|--|--|--|--|--|---------------------------------------------------------------------------------------------|
| 12.2. Persistence and degradability:     |  |  |  |  |  |  | Inorganic products cannot be eliminated from water through biological purification methods. |
| 12.4. Mobility in soil:                  |  |  |  |  |  |  | Not to be expected                                                                          |
| 12.5. Results of PBT and vPvB assessment |  |  |  |  |  |  | No PBT substance, No vPvB substance                                                         |

| Methanol                                 |           |      |       |      |                                 |                                                                                          |                                     |
|------------------------------------------|-----------|------|-------|------|---------------------------------|------------------------------------------------------------------------------------------|-------------------------------------|
| Toxicity / effect                        | Endpoint  | Time | Value | Unit | Organism                        | Test method                                                                              | Notes                               |
| 12.1. Toxicity to fish:                  | LC50      | 96h  | 15400 | mg/l | Lepomis macrochirus             | OECD 203 (Fish, Acute Toxicity Test)                                                     | EPA-660/3-75-009                    |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 21d  | 208   | mg/l | Daphnia magna                   | QSAR                                                                                     |                                     |
| 12.1. Toxicity to daphnia:               | EC50      | 96h  | 18260 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                         |                                     |
| 12.1. Toxicity to algae:                 | EC50      | 96h  | 22000 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                                                  |                                     |
| 12.2. Persistence and degradability:     |           | 28d  | 99    | %    |                                 | OECD 301 D (Ready Biodegradability - Closed Bottle Test)                                 | Readily biodegradable               |
| 12.3. Bioaccumulative potential:         | BCF       |      | 28400 |      | Chlorella vulgaris              |                                                                                          | Not to be expected                  |
| 12.3. Bioaccumulative potential:         | BCF       | 72h  | <10   |      | Cyprinus caprio                 |                                                                                          |                                     |
| 12.5. Results of PBT and vPvB assessment |           |      |       |      |                                 |                                                                                          | No PBT substance, No vPvB substance |
| Toxicity to bacteria:                    | IC50      | 3h   | >1000 | mg/l | activated sludge                | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |                                     |
| Other information:                       | Log Pow   |      | -0,77 |      |                                 |                                                                                          |                                     |
| Other information:                       | DOC       |      | <70   | %    |                                 |                                                                                          |                                     |
| Other information:                       | BOD       |      | >60   | %    |                                 |                                                                                          |                                     |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 10 packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### General statements

#### Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

Tunnel restriction code: Not applicable

Classification code: Not applicable

LQ: Not applicable

Transport category: Not applicable

#### Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

Marine Pollutant: Not applicable

EmS: Not applicable

#### Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 0 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Revised sections:

8

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

## Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                             |
|-----------------------------------------------------------------------|----------------------------------------------------|
| Eye Irrit. 2, H319                                                    | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

Eye Irrit. — Eye irritation

Flam. Liq. — Flammable liquid

Acute Tox. — Acute toxicity - inhalation

Skin Sens. — Skin sensitization

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, Eblx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances  
 EN European Norms  
 EPA United States Environmental Protection Agency (United States of America)  
 ErCx, E<sub>m</sub>Cx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)  
 etc. et cetera  
 EU European Union  
 EVAL Ethylene-vinyl alcohol copolymer  
 Fax. Fax number  
 gen. general  
 GHS Globally Harmonized System of Classification and Labelling of Chemicals  
 GWP Global warming potential  
 Koc Adsorption coefficient of organic carbon in the soil  
 Kow octanol-water partition coefficient  
 IARC International Agency for Research on Cancer  
 IATA International Air Transport Association  
 IBC (Code) International Bulk Chemical (Code)  
 IMDG-code International Maritime Code for Dangerous Goods  
 incl. including, inclusive  
 IUCLID International Uniform Chemical Information Database  
 IUPAC International Union for Pure Applied Chemistry  
 LC50 Lethal Concentration to 50 % of a test population  
 LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  
 Log Koc Logarithm of adsorption coefficient of organic carbon in the soil  
 Log Kow, Log Pow Logarithm of octanol-water partition coefficient  
 LQ Limited Quantities  
 MARPOL International Convention for the Prevention of Marine Pollution from Ships  
 mg/kg bw mg/kg body weight  
 mg/kg bw/d, mg/kg bw/day mg/kg body weight/day  
 mg/kg dw mg/kg dry weight  
 mg/kg wwt mg/kg wet weight  
 n.a. not applicable  
 n.av. not available  
 n.c. not checked  
 n.d.a. no data available  
 NIOSH National Institute for Occupational Safety and Health (USA)  
 NLP No-longer-Polymer  
 NOEC, NOEL No Observed Effect Concentration/Level  
 OECD Organisation for Economic Co-operation and Development  
 org. organic  
 OSHA Occupational Safety and Health Administration (USA)  
 PBT Persistent, bioaccumulative and toxic  
 PE Polyethylene  
 PMT Persistent, mobile and toxic  
 PNEC Predicted No Effect Concentration  
 ppm parts per million  
 PVC Polyvinylchloride  
 REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
 REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
 RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
 SVHC Substances of Very High Concern  
 Tel. Telephone  
 TOC Total organic carbon  
 UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
 VOC Volatile organic compounds  
 vPvB Very persistent and very bioaccumulative  
 vPvM Very persistent and very mobile

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document

Page 21 of 21

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 28.04.2026 / 0007

Replacing version dated / version: 25.11.2024 / 0006

Valid from: 28.04.2026

PDF print date: 28.04.2026

BONDTEC STP 70 Power

---

is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.